


EDGE SCREENS

Maximize usable surface area while adding privacy & protection.



Screens are alongside or beyond edge to maximize workspace



User removable and fixed attachment methods



Fastening methods do not deface user surface

EDGE DESKTOP SCREENS

Maximize usable surface area while adding privacy & protection.



Edge Desktop 1-Sided Screen



Edge Desktop 3-Sided Screen



Edge Desktop 3-Sided Screen with Roof

Edge Desktop Details

- 1-Sided or 3-Sided configurations.
- Attachment method: Fixed screw or user removable with knob.
- Roof feature adds 11.75" to enclose and contain airborne particulates.

1-Sided


Widths 24", 28", 30", 34"

Height 24"

Available in acoustic and acrylic only

Available flush or with 4" user edge over hang

Finishes



Acoustic

Acrylic

3-Sided

Widths 48", 60", 72"

Height 24"

Depth 22", 28"

Finishes



Acoustic

Acrylic

Laminate

3-Sided with Roof

Widths 48", 60"

Height 24"

Depth 22", 28"

Finishes




Acoustic

Please note: Check Enwork Rapid Response price list for exact dimensions. Field verification of worksurface dimensions are recommended to ensure accurate fit.

EDGE DESKWRAP SCREENS

Above and below surface screening for added protection.



Edge Deskwrap 1-Sided Screen



Edge Deskwrap 3-Sided Screen



Edge Deskwrap 3-Sided Screen with Roof

Edge Deskwrap Details

- Side panels available flush or with 4" user overhang.
- 1-Sided or 3-Sided configurations.
- Attachment method: Fixed screw or user removable with knob.
- Roof feature adds 11.75" to enclose and contain airborne particulates.

1-Sided

Widths 24", 28", 30", 34"
 Height 35"
 (24" above worksurface, 11" below)

available in acoustic and acrylic only
 available flush or with 4" user edge overhang

Finishes




Acoustic Frosted Acrylic

3-Sided

Widths 48", 60", 72"
 Height 35"
 (24" above worksurface, 11" below)

Depth 24", 28", 30", 34"

Finishes



Acoustic Frosted Acrylic

3-Sided with Roof

Widths 48", 60"
 Height 35"
 (24" above worksurface, 11" below)
 Depth 24", 28", 30", 34"

Finishes



Acoustic

Please note: Check Enwork Rapid Response price list for exact dimensions. Field verification of worksurface dimensions are recommended to ensure accurate fit.